

L Number	Hits	Search Text	DB	Time stamp
16	0	redundant same bridges same verify\$3 same (target slave) same (data frame packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:25
17	3	redundant same bridges same verify\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:27
18	0	verify\$3 same pair same bridge same routes same different	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:27
19	0	verify\$3 same pair same bridges	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:27
20	169	verify\$3 same bridges	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:27
22	12	verify\$3 same (different adj rout\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:30
24	9	bridge\$1 same verify\$3 same data same target	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:33
26	19	redundant adj3 bridges	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:35
31	10	(verify\$3 adj data) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:54
33	3	(verify\$3 adj data) same different adj3 (route\$1 way path\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:54
34	4	(verify\$3 adj3 data) same different adj3 (route\$1 way path\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:56
35	4218	bus\$3 same (multiple plural plurality) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:05

36	0	(bus\$3 same (multiple plural plurality) same bridge\$1) same (data adj integrity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 21:57
37	8	(bus\$3 same (multiple plural plurality) same bridge\$1) same (data adj integrity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:05
38	7687	data adj integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:05
39	116	(bus\$3 same (multiple plural plurality) same bridge\$1) and (data adj integrity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:05
41	741	redundant adj path\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:12
42	22	(redundant adj path\$1) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:12
44	191	(read with again) same verify\$3 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:16
45	0	(read with again) same verify\$3 same data same (different adj3 (path\$1 rout\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:17
46	19	(read with again) same verify\$3 same data same different	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:17
52	1	host-managed adj failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:40
53	12	host adj3 failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 22:40
-	1020	layered with protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:10

-	2	(bridge same i2c) and (layered with protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:11
-	1306	(iic i2c inter) same layered	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:11
-	8	(iic i2c inter) same layered same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:11
-	199	protocol adj translator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:29
-	7	(protocol adj translator) and (iic i2c)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:30
-	18	(protocol adj translator) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:30
-	86	(inter-ic i2c iic) with bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:36
-	179083	lip (layered adj2 protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 11:38
-	480	layered adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:14
-	1	(iic i2c inter-ic) and (layered adj2 protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:18
-	0	(i2c adj buss\$2) same expand\$3 same bus\$3 same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:16
-	1	(i2c adj buss\$2) same expand\$3 same bus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:16

-	701	(iic i2c inter-ic) and bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:19
-	120	(iic i2c inter-ic) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:18
-	772	(iic i2c inter-ic (inter adj integrat\$2)) and bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:20
-	150	(iic i2c inter-ic (inter adj integrat\$2)) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:20
-	13435	(expand\$3 expansion) same number same device\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:43
-	586	(expand\$3 expansion) same number same device\$1 same (iic i2c inter-IC integrated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:44
-	4	(expand\$3 expansion) same number same device\$1 same (iic i2c inter-IC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:44
-	6	hs-mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:54
-	0	(fast adj mode) and phillips.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:55
-	222	(high adj speed) and phillips.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:55
-	0	((high adj speed) and phillips.as.) and i2c	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:55
-	0	((high adj speed) and phillips.as.) and inter-ic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:55

-	11	((high adj speed) and phillips.as.) and integrated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 12:55
-	5	tcp/ip same i2c	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 13:53
-	1	layered same i2c	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 13:57
-	566	layered adj3 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 13:57
-	275	(layered adj3 protocol) and (iic i2c inter-ic integrated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:06
-	16	(layered adj3 protocol) same (iic i2c inter-ic integrated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 13:58
-	1	(layered adj3 protocol) and (iic i2c inter-ic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:01
-	1	pic16c65b	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:02
-	217	mclr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:02
-	36	LIP adj (master bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:04
-	120	(iic i2c inter-ic) with (master slave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:17
-	123	(iic i2c inter-ic (integrated adj circuit adj interface)) with (master slave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 14:18

-	29	((iic i2c inter-ic (integrated adj circuit adj interface))) same (expand\$3 expansion extend\$3 extension) same number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 15:42
-	18	(protocol adj translat\$3) and ((iic i2c inter-ic (integrated adj circuit adj interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:32
-	12	((iic i2c inter-ic (integrated adj circuit adj interface))) same crc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 17:22
-	7250	((plural multiple plurality) adj5 master)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 18:02
-	6	((((plural multiple plurality) adj5 master)) same ((iic i2c inter-ic (integrated adj circuit adj interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 18:03
-	0	(((((plural multiple plurality) adj5 master)) same ((iic i2c inter-ic (integrated adj circuit adj interface)))) and collision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 18:03
-	5	(((((plural multiple plurality) adj5 master)) same ((iic i2c inter-ic (integrated adj circuit adj interface)))) and command\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 18:04
-	5	(((((plural multiple plurality) adj5 master)) same ((iic i2c inter-ic (integrated adj circuit adj interface)))) and detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 18:10
-	12	((iic i2c inter-ic (integrated adj circuit adj interface))) same crc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/10 18:37
-	41	((iic i2c inter-ic (integrated adj circuit adj interface))) and (special adj (function command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:25
-	0	special adj function adj command adj engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:29
-	2	special adj command adj engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:29

-	3	special adj command adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:30
-	1	((iic i2c inter-ic (integrated adj circuit adj interface))) same (special adj function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:31
-	0	((iic i2c inter-ic (integrated adj circuit adj interface))) same (special adj command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:31
-	50	serial same (special adj command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:31
-	28	serial same (special adj (function command)) same master	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:31
-	161	(host master) same (send\$3 transmit\$4) same (special adj (command function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:58
-	108	((iic i2c inter-ic (integrated adj circuit adj interface))) and (special adj3 (command function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:02
-	7880	(iic i2c inter-ic (integrated adj circuit adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:01
-	1	((iic i2c inter-ic (integrated adj circuit adj interface))) same (special adj3 (command function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:02
-	108	((iic i2c inter-ic (integrated adj circuit adj interface))) and (special adj3 (command function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:02
-	1	bridge same (special adj function) same serial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:09
-	0	bridge same (special adj function) same (validity (verification verify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:10

-	55	(special adj function) same (validity (verification verify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:10
-	7	(packet adj parser) same (dispatch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:41
-	52	parser with dispatch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:41
-	16	packet\$1 same (pars\$3 with dispatch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:41
-	11	CRC same address same tag same generat\$3 same check\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 16:11
-	7889	((iic i2c inter-ic (integrated adj circuit adj interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 16:30
-	12	((iic i2c inter-ic (integrated adj circuit adj interface))) same crc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 16:27
-	348	((iic i2c inter-ic (integrated adj circuit adj interface))) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 16:31
-	6	((iic i2c inter-ic (integrated adj circuit adj interface))) same address) same (checksum crc cyclic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 16:38
-	372	tag same crc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 23:34
-	10	(tag same crc) same communication same indicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 23:35
-	944	redundan\$3 same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 04:32

-	1147	redundan\$3 same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 04:32
-	35	redundan\$3 adj bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/14 04:32